0300

Docket No.: 57457-01

JUN 1 0 SOUS CE

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

John K. HOWARD

Serial No.: 10/068,854

Group Art Unit: 1645

Filed: February 11, 2002

Examiner:

For:

METHOD AND APPARATUS FOR DETECTING DNA HYBRIDIZATION

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents Washington, DC 20231

Sir:

We are in receipt of the Notice to File Corrected Application Papers mailed April 9, 2002.

In response to this Notice, submitted herewith are 4 sheets of substitute drawings in compliance with CFR 1.84. If anything further is needed, please contact the undersigned immediately.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 500417 and please credit any excess fees to such deposit account.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

Michael E. Fogarty

Registration No. 36,139

600 13th Street, N.W. Washington, DC 20005-3096 (202)756-8000 MEF:prp Facsimile: (202)756-8087

Date: June 10, 2002



PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 2023I www.uspto gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/068,854

600 13th Street, N.W.

McDERMOTT, WILL & EMERY

Washington, DC 20005-3096

02/11/2002

John K. Howard

57457-017

CONFIRMATION NO. 8969

FORMALITIES LETTER

OC000000007827571

Date Mailed: 04/09/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE